

Sources of Information About Central Referral Systems

Carol M. Trivette, Felix J. Click, and Iolene Lund

This *Milemarkers* bibliography includes selected references on central referral system practices and research useful for developing and improving methods for ensuring that an individual or group obtains the supports or services necessary for information on central directories, information and referral systems, toll-free telephone numbers, call centers, First Call for Help (2-1-1), and single portal of entry systems are included.

Both a central directory, which focuses on sources of public and private resources and services that might provide support to parents, and a statewide toll-free telephone number to enable access to the resources are requirements of the Individuals with Disabilities Education Act (IDEA) regulations (Early Intervention Program, 34 C.F.R. § 303.301, 2002). According to the regulations, a central directory must be developed in a manner that enables parents to contact by telephone or letter any of the resources in the directory that they feel are important for their family or child to obtain. The information provided in the central directory and the availability of a toll-free telephone number to referral sources enables parents or community members to make a referral to early intervention for an infant or toddler who may be eligible for services.

The two characteristics that all central referral systems have in common are (1) a “door” that individuals enter (e.g., phone number, Web site, print directory) to access information and (2) a variety of resources, services, information, or goods available once they are “in the door.” The content of a central referral system can be developed for a broad audience (e.g., all community members) or a narrow audience (e.g., parents of children with developmental disabilities). Either can have more than one point of access (e.g., Web site, phone number, print directory).

A review of the central referral system literature finds that central directories and toll-free telephone numbers are but two types of central referral system practices that can be used to ensure access to services. The central referral system literature can be organized into several major categories of practice: central directories, information and referral systems, toll-free telephone numbers, call centers, First Call for Help (2-1-1) systems, and single portal or single entry systems. This *Milemarkers* includes selected references to research and practices in each of these categories that practitioners responsible for developing these types of referral systems should find informa-

tive and useful. Central referral systems are one type of referral activity (Dunst & Trivette, 2004) that constitutes the focus of research and practice at the Tracking, Referral and Assessment Center for Excellence (www.trace-center.info).

Central Referral Systems

Central Directories

Central directories are required by the IDEA regulations (Early Intervention Program, 34 C.F.R. § 303.301, 2002) and are developed for the express purpose of enabling parents of children with disabilities to have a central place where they can identify available services and obtain contact information for those resources. Most state and local central directories were first developed as printed directories organized alphabetically or categorically. With the development of the internet, many states and communities now have posted their directories on the World Wide Web, allowing families to scroll through a directory’s contents and print all or part of the directory (California Department of Developmental Services & WestEd Center for Prevention and Early Intervention, 2003).

Those responsible for developing or modifying an existing central directory on the Web should consider a number of factors, including Web design features (Eysen-

Milemarkers is a publication of the Tracking, Referral and Assessment Center for Excellence (TRACE) funded by the U.S. Department of Education, Office of Special Education Programs (H324G020002). Opinions expressed in this publication are those of TRACE and do not necessarily reflect the views of the U.S. Department of Education. TRACE is a major initiative of the Center for Improving Community Linkages, Orelena Hawks Puckett Institute, www.puckett.org. Copyright © 2004 by the Orelena Hawks Puckett Institute. All rights reserved.

bach & Kohler, 2002), organizational categories for refereed resources (Ozanne, Brucks, & Grewal, 1992), acceptable readability level of material (Lawrence, 2003), and use of various search options (Eysenbach & Kohler, 2002). A number of evaluations of the characteristics of useful central directories are now available (Cherry, Prebis, & Pick, 1995).

Allen, K., & Rainie, L. (2002, November). *Parents online*. Washington, DC: Pew Internet and American Life Project.

Bawden, D. (1990). *User-oriented evaluation of information systems and services*. Aldershot, England: Grower.

Caplan, F. (1978). *Parents' yellow pages*. Garden City, NY: Garden Press.

Carson, A. T., & Lynch, E. W. (1987). SearchLine: A computerized directory of services. *Children's Health Care*, 16, 51-54.

Cherry, R. (2002). Who uses service directories? Extending the behavioral model to information use by older people. *Research on Aging*, 24, 548-574.

Cherry, R. L., Prebis, J., & Pick, V. (1995). Service directories: Reinvigorating a community resource for self-care. *Gerontologist*, 35, 560-563.

Eysenbach, G., & Kohler, C. (2002). How do consumers search for and appraise health information on the World Wide Web? Qualitative study using focus groups, usability tests, and in-depth interviews [Electronic version]. *British Medical Journal*, 324, 573-577.

Haber, D., & Looney, C. (2003). Health promotion directory: Development, distribution, and utilization. *Health Promotion Practice*, 4, 72-77.

Jamison, M. (2003). Synonyms and the challenges of information retrieval. *Psychology and Education: An Interdisciplinary Journal*, 40(2), 21-26.

Leong, E. K. F., Ewing, M. T., & Pitt, L. F. (1978). E-comprehension: Evaluating B2B websites using readability formulae. *Industrial Marketing Management*, 31, 125-131.

Marshall, C. D. (2000). *Publishing community directories: A practical handbook*. Haymarket, Australia: Community Liaison Bureau (ERIC Document Reproduction Service No. ED179220).

Mitchell, W., & Sloper, P. (2002). Information that informs rather than alienates families with disabled children: Developing a model of good practice. *Health and Social Care in the Community*, 10, 74-81.

Ozanne, J. L., Brucks, M. L., & Grewal, D. (1992). A study of information search behavior during the categorization of new products. *Journal of Consumer Research*, 18, 452-463.

Siegal, M. D. (1986). Usefulness of a statewide referral

directory of dentists found willing to treat disabled persons. *Journal of Public Health Dentistry*, 46, 161-163.

Information and Referral Systems

Information and referral systems provide information about public or private resources to citizens in most communities, often having a number of publications available. In many communities, libraries are the home of information and referral sources with the reference librarian often providing information about community resources (Pettigrew, Durrance, & Unruh, 2002). Evaluations of information and referral systems suggest that a variety of issues must be considered in developing a useful system. These issues include concerns of cultural relevance (Cabello-Argandona & Harc, 1977), organization of the information and resources (Pettigrew et al., 2002), and the language used to ensure the helpfulness of the information presented (Mitchell & Sloper, 2002). The reader is referred to the Alliance of Information and Referral Systems (www.airs.org) and Ripley (1994) for information concerning the development of information and referral systems.

Adams, I. (1993, Sep-Oct). Developing a county-wide computerized information and referral (I&R) system. *Public Libraries*, 32, 271-274.

Bogat, G. A., & Gensheimer, L. K. (1986). The role of an information and referral service in the selection of child care. *Children and Youth Services Review*, 8, 243-256.

Bruni, M. G. (2000). Indexing with the AIRS/INFO LINE Taxonomy of Human Services. *Alliance of Information and Referral Systems*, 22, 83-110.

Cabello-Argandona, R., & Harc, R. P. (1977). *System analysis of library and information services to the Spanish speaking community of the United States* (Pamphlet Series No. 3). Los Angeles: University of California, Los Angeles, Bibliographic Research and Collection Development unit, Chicano Studies Center. (ERIC Document Reproduction Service No. ED143368).

Fuqua, R. W., & Schieck, R. (1989). Child care resource and referral programs and parents' search for quality child care. *Early Childhood Research Quarterly*, 4, 357-365.

Maas, N. L. (2000). *The Information and referral interview: Models to remember*. Retrieved October 21, 2004, from <http://www.airs.org/downloads/Foundations.PDF>.

Metoyer-Duran, C. (1993). The information and referral process in culturally diverse communities [Electronic version]. *Reference Quarterly*, 32, 359-371.

O'Shea, D. P., Kegler, L., & King, C. T. (2000). *The*

value of a comprehensive Texas information and referral network: August 2000 update. Austin, TX: University of Texas at Austin, Lyndon B. Johnson School of Public Affairs, Ray Marshall Center for the Study of Human Resources.

Pettigrew, K. E., Durrance, J. C., & Unruh, K. T. (2002). Facilitating community information seeking using the Internet: Findings from three public library-community network systems. *Journal of the American Society for Information Science and Technology*, 53, 894-903.

Ripley, S. (1994). *Operating a local information and referral center*. Washington, DC: National Information Center for Children and Youth with Disabilities.

Woods, L. B., & Walker, J. (1989). Automation of community information and referral services. *Information Technology and Libraries*, 4, 393-399.

Call Centers

Call centers are telephone helplines that provide a caller advice or information or that help make referrals for services. Call-center employees or volunteers speak directly to callers and attempt to understand and identify callers concerns or needs, determine the seriousness of the need, and provide advice, information, a service, or a referral depending on the evaluation of the need or concern. Over the last few years, call centers have become important components of health care systems (Rose, 1999) and key features of business systems (Dormann & Zijlstra, 2003). Evaluations of call centers have identified practice characteristics that influence the level of satisfaction and whether or not the caller acts on the information provided (Booth, Brown, & Richmond-Crum, 2004). There are, however, other features that need more investigation, such as the use of protocols to standardize and control the quality of responses (Blundon, 2003; Mayo, Chang, & Omery, 2002).

Blundon, W. (2003, April). Averting a call-center collision: Balancing automation and empowerment. *Customer Interaction Solutions*, 21, 68-69.

Booth, M., Brown, T., & Richmond-Crum, M. (2004). *Dialing for help: State telephone hotlines as vital resources for parents of young children*. New York: Commonwealth Fund.

Campbell, D. M. (1998). Developing a successful call center: One hospital's story. *Healthcare Information and Management*, 12(2), 97-105.

Dormann, C., & Zijlstra, F. (2003). Call centres: High on technology-high on emotions. *European Journal of Work and Organizational Psychology*, 12, 305-310.

Durr, W. (1998). A call center primer. *Healthcare Information Management*, 12(2), 5-17.

Ellen, D. (2003). Telecentres and the provision of community based access to electronic information in everyday life in the UK. *Information Research*, 8(2), Paper no. 146. Retrieved June 22, 2004 from <http://informationr.net/ir/8-2/paper146.html>.

Feinberg, R. A., Kim, I.-S., Hokama, L., de Ruyter, K., & Keen, C. (2000). Operational determinants of caller satisfaction in the call center. *International Journal of Service Industry Management*, 11, 131-141.

Glade, G. B., Forrest, C. B., Starfield, B., Baker, A. E., Bocian, A. B., & Wasserman, R. C. (2002). Specialty referrals made during telephone conversations with parents: A study from the pediatric research in office settings network. *Ambulatory Pediatrics*, 2, 93-98.

Kempe, A., Luberti, A., Belman, S., Hertz, A., Sherman, H., Amin, D., et al. (2003). Outcomes associated with pediatric after-hours care by call centers: A multicenter study. *Ambulatory Pediatrics*, 3, 211-217.

Labarere, J., Torres, J. P., Francois, P., Fourny, M., Argento, P., Gensburger, X., et al. (2003). Patient compliance with medical advice given by telephone. *American Journal of Emergency Medicine*, 21, 288-292.

Ledlow, G. R., O'Hair, H. D., & Moore, S. (2003). Predictors of communication quality: The patient, provider, and nurse call center triad. *Health Communication*, 15, 431-455.

Mayo, A. M., Chang, B. L., & Omery, A. (2002). Use of protocols and guidelines by telephone nurses. *Clinical Nursing Research*, 11, 204-219.

O'Cathain, A., Munro, J. F., Nicholl, J. P., & Knowles, E. (2000). How helpful is NHS Direct? Postal survey of callers. *British Medical Journal*, 320, 1035.

Rose, V. L. (1999). AAP report discusses success factors for pediatric call centers. *American Family Physician*, 60, 1242, 1245.

Toll-Free Telephone Systems

The availability of a toll-free telephone number as a central source of information provides another avenue for an individual to obtain information about available services and resources. States are required to have a toll-free number that provides parents of young children and the general public access to an information and referral system as part of IDEA regulations (Early Intervention Program, 34 C.F.R. § 303.301, 2002). The reader is referred to Booth et al., (2004) for a recent evaluation of a statewide toll-free line operated by Maternal and Child Health Programs that highlights some of the challenges and strategies in implementing and maintaining an effective toll-free telephone information and referral system.

- Booth, M., Brown, T., & Richmond-Crum, M. (2004). *Dialing for help: State telephone hotlines as vital resources for parents of young children*. New York: Commonwealth Fund.
- Chiari, G., Ghidini, B., & Vanelli, M. (2003). Effectiveness of a toll-free telephone hotline for children and adolescents with Type 1 Diabetes: A 5-year study. *Acta Bio Medica*, 74(Suppl. 1), 45-48.
- Davis, S. W., Taber, S. R., & Stone, J. C. (1991). Fox Chase Cancer Center referral resource directory. In P. D. Clayton (Ed.), *Proceedings: Fifteenth annual symposium on computer applications in medical care: Assessing the value of medical informatics* (pp. 909-910). New York: McGraw-Hill.
- Muha, C., Smith, K. S., Baum, S., Maat, J. T., & Ward, J. A. (1998). The use and selection of sources in information seeking: The Cancer Information Service Experience: Part 8 [Electronic version]. *Journal of Health Communication*, 3, 109-120.
- Thomsen, C. A., & Maat, J. T. (1998). Evaluating the Cancer Information Service: A model for health communications: Part 1 [Electronic version]. *Journal of Health Communication*, 3, 1-13.
- Van der Eyken, W. (1980). Under-fives info-phone: The implementation and initial evaluation of a telephone based service to parents of young families. *Early Child Development and Care*, 6, 155-178.
- Ward, J. A. D., Baum, S., Maat, J. T., Thomsen, C. A., & Maibach, E. W. (1998). The value impact of the Cancer Information Service Telephone Service: Part 4 [Electronic version]. *Journal of Health Communication*, 3, 50-70.
- First Call for Help. (2000). *National standards*. Retrieved January 27, 2005, from <http://211.org/standards.html>.
- First Call for Help. (n.d.). *Services*. Retrieved January 27, 2005, from <http://firstcall.org/services.htm>.
- King, C. T., O'Shea, D. P., & Betsinger, A. M. (1998). *The value of a comprehensive Texas information and referral network*. Austin, TX: University of Texas at Austin, Lyndon B. Johnson School of Public Affairs, Ray Marshall Center for the Study of Human Resources.
- Mazerolle, L., Rogan, D., Frank, J., Famega, C., & Eck, J. E. (2001). *Managing citizen calls to the police: An assessment of non-emergency call systems*. Queensland, Australia: Griffith University, School of Criminology and Criminal Justice; Bowie, MD: Statistical Analysis for Law Enforcement Strategies; Cincinnati, OH: University of Cincinnati, Division of Criminal Justice; Cincinnati, OH: University of Cincinnati, Center for Criminal Justice Research.
- National 2-1-1 Collaborative. (2003). *The Calling for 2-1-1 Act of 2003*. Retrieved January 27, 2005, from <http://211.org/legsummary.html>.
- National 2-1-1 Collaborative. (n.d.). *Frequently asked questions concerning 2-1-1*. Retrieved January 27, 2005, from <http://211.org/faqs.html>.
- O'Shea, D. P., Kegler, L., & King, C. T. (2000). *The value of a comprehensive Texas information and referral network: August 2000 update*. Austin, TX: University of Texas at Austin, Lyndon B. Johnson School of Public Affairs, Ray Marshall Center for the Study of Human Resources.

First Call for Help (2-1-1)

First Call for Help (2-1-1) is a particular type of toll-free telephone system. Callers are connected to community resources for assistance that may meet their needs. The staff person assists the caller in obtaining help by accessing a comprehensive database that includes, but is not limited to, information about financial assistance, disability, education, employment, and health care. Having information about a service or resource in the database (e.g., ensuring that early intervention and special education preschool programs are included) and keeping the information updated (e.g., notifying First Call when contact information changes) are important activities to ensure appropriate referrals are received. There is an emphasis at the state and federal level to develop 2-1-1 systems, and the reader is referred to www.211.org for information about the development and financing of a community 2-1-1 system.

Alliance of Information and Referral Systems. (2004). *2-1-1 toolkit*. Fairfax, VA: Author.

Single Portal of Entry Systems

A single portal of entry or central referral is another type of program that helps individuals locate resources to meet their needs. These types of systems provide sole access to specific services in a community, acting as the clearinghouse for information and referral as well as a broker of needed services (Lynch, Mercury, DiCola, & Widley, 1988). Single portal of entry systems are developed to connect a person with a specific need to an individual or team of people who will help facilitate referral and access to specific programs. This type of referral system has been used in a variety of areas including early intervention and preschool special education, child care, and drug treatment programs. Evaluations have found some of these systems successful (Lynch et al., 1988); other evaluations have raised concerns regarding improving outcomes for individuals (Guydish, Woods, Davis, Bostrom, & Frazier, 2001).

Arfken, C. L., Borisova, N., Klein, C., di Menza, S., & Schuster, C. R. (2002). Women are less likely to be

admitted to substance abuse treatment within 30 days of assessment. *Journal of Psychoactive Drugs*, 34(1), 33-38.

Bencivengo, M. R. (2001). A commentary on "Does centralized intake improve drug abuse treatment outcomes?" *Journal of Substance Abuse Treatment*, 20, 275-276.

Edgar, E., & Maddox, M. (1983). *Single portal intake project: Final report 1980-1983*. Seattle, WA: Washington University.

Guydish, J., Woods, W. J., Davis, T., Bostrom, A., & Frazier, Y. (2001). Does centralized intake improve drug abuse treatment outcomes? *Journal of Substance Abuse Treatment*, 20, 265-273.

Harrell, J. A. (1974). *Rural child care: A summary of the issues*. Washington, DC: Day Care and Child Development Council of America. (ERIC Document Reproduction Service No. ED106023).

Kraft, M. K., & Dickinson, J. E. (1997). Partnerships for improved service delivery: The Newark Target Cities Project. *Health and Social Work*, 22, 143-148.

Lynch, E. C., Mercury, M. G., DiCola, J. M., & Widley, R. (1988). The function of a central referral system in interagency identification, eligibility, and service delivery: A case study. *Topics in Early Childhood Special Education*, 8(3), 86-97.

North Carolina Council on Developmental Disabilities. (2001). *How to access CAP-MR/DD community alternatives programs for persons with mental retardation/developmental disabilities*. Raleigh, NC: Author.

Polgar, M. F., Johnsen, M. C., Starrett, B. E., Fried, B. J., & Morrissey, J. P. (2000). New patterns of community care: Coordinated services for dually diagnosed adults in North Carolina. *Journal of Health and Human Services Administration*, 23, 50-64.

San Antonio Kid First: Childcare assistance programs single portal of entry. (n.d.). Retrieved January 27, 2005, from <http://kidfirst.sanantonio.gov/AboutUs.aspx>.

Sears, C., Davis, T., & Guydish, J. (2002). Effects of treatment history on centralized intake on drug treatment outcomes. *Journal of Psychoactive Drugs*, 34(1), 87-95.

Summary

Central referral systems including central directories and toll-free telephone numbers, are required by IDEA regulations (Early Intervention Program, 34 C.F.R. § 303.301, 2002) as components of the state's comprehensive system and are designed to ensure parents quick and easy access to services for infants and toddlers who may be eligible for early intervention. This *Milemarkers*

includes selected references to practice descriptions and research on the characteristics of a variety of central referral systems found to be effective in linking people to the desired resources and services.

Acknowledgements

Appreciation is extended to Crystal Jean for typing, Teresa Imfeld for editing and Kaki Roberts for final layout of the manuscript.

References

Blundon, W. (2003, April). Averting a call center collision: Balancing automation and empowerment. *Customer Interaction Solutions*, 21, 68-69.

Booth, M., Brown, T., & Richmond-Crum, M. (2004). *Dialing for help: State telephone hotlines as vital resources for parents of young children*. New York: Commonwealth Fund. Retrieved January 26, 2005, from http://www.cmfw.org/usr_doc/787_Booth_dialing_for_help_issue_brief.pdf.

Cabello-Argandona, R., & Harc, R. P. (1977). *System analysis of library and information services to the Spanish speaking community of the United States* (Pamphlet Series No. 3). Los Angeles: University of California, Los Angeles, Bibliographic Research and Collection Development unit, Chicano Studies Center. (ERIC Document Reproduction Service No. ED143368).

California Department of Developmental Services, & WestEd Center for Prevention and Early Intervention. (2003). *California Early Start central directory of early intervention resources 2003*. Sacramento, CA: Author. Retrieved January 24, 2005, from the California Early Start website: http://www.dds.ca.gov/EarlyStart/PDF/central_directory2003.pdf.

Cherry, R. L., Prebis, J., & Pick, V. (1995). Service directories: Reinvigorating a community resource for self-care. *Gerontologist*, 35, 560-563.

Dormann, C., & Zijlstra, F. (2003). Call centres: High on technology—high on emotions. *European Journal of Work and Organizational Psychology*, 12, 305-310.

Dunst, C. J., & Trivette, C. M. (2004). Toward a categorization scheme of child find, referral, early identification and eligibility determination practices. *Tracelines*, 1(2), 1-18. Available from <http://www.tracecenter.info/products.php>.

Early Intervention Program for Infants and Toddlers with Disabilities, 34 C.F.R. § 303.301 (2002).

Eysenbach, G., & Kohler, C. (2002). How do consumers search for and appraise health information on

- the World Wide Web? Qualitative study using focus groups, usability tests, and in-depth interviews [Electronic version]. *British Medical Journal*, 324, 573-577.
- Guydish, J., Woods, W. J., Davis, T., Bostrom, A., & Frazier, Y. (2001). Does centralized intake improve drug abuse treatment outcomes? *Journal of Substance Abuse Treatment*, 20, 265-273.
- Lawrence, S. F. (2003). Analysis report project: Audience, e-writing, and information design. *Business Communication Quarterly*, 66(1), 47-60.
- Lynch, E. C., Mercury, M. G., DiCola, J. M., & Widley, R. (1988). The function of a central referral system in interagency identification, eligibility, and service delivery: A case study. *Topics in Early Childhood Special Education*, 8(3), 86-97.
- Mayo, A. M., Chang, B. L., & Omery, A. (2002). Use of protocols and guidelines by telephone nurses. *Clinical Nursing Research*, 11, 204-219.
- Mitchell, W., & Sloper, P. (2002). Information that informs rather than alienates families with disabled children: Developing a model of good practice. *Health and Social Care in the Community*, 10, 74-81.
- Ozanne, J. L., Brucks, M. L., & Grewal, D. (1992). A study of information search behavior during the categorization of new products. *Journal of Consumer Research*, 18, 452-463.
- Pettigrew, K. E., Durrance, J. C., & Unruh, K. T. (2002). Facilitating community information seeking using the Internet: Findings from three public library-community network systems. *Journal of the American Society for Information Science and Technology*, 53, 894-903.
- Ripley, S. (1994). *Operating a local information and referral center*. Washington, DC: National Information Center for Children and Youth with Disabilities.
- Rose, V. L. (1999). AAP report discusses success factors for pediatric call centers. *American Family Physician*, 60, 1242, 1245.

Authors

Carol M. Trivette, Ph.D., is Co-Principal Investigator of the Tracking, Referral and Assessment Center for Excellence (TRACE); and Research Scientist at the Orelena Hawks Puckett Institute in Morganton, North Carolina (trivette@puckett.org). Felix J. Click, B.A., is a Research Assistant at the Orelena Hawks Puckett Institute (fclick@puckett.org). Iolene Lund, Ph.D., is an Associate Research Scientist at the Orelena Hawks Puckett Institute (ilund@puckett.org).