

## Sources of Information About Outreach Program Practices

Patricia W. Clow and Carl J. Dunst

This *Milemarkers* bibliography includes selected references to outreach practices and research useful for locating children eligible for early intervention or preschool special education. Sources of information about outreach to physicians, outreach to hospitals, and community outreach are included. Sources about information on educational outreach (academic detailing) and the use of opinion leaders for conducting outreach activities are also included. The information should be useful for practitioners who have responsibility for conducting child-find activities.

The conduct of an outreach program that focuses on provision of information to primary referral sources and the early identification of children who are eligible for early intervention or preschool special education services is an explicit requirement of the Individuals with Disabilities Education Act (1997). Primary referral sources include, but are not limited to, physicians, nurses, hospital personnel, Early Head Start and Head Start staff, child-care programs, etc. Outreach to these primary referral sources serves a number of functions, including child find and informing referral sources about the services available from early intervention and preschool special education programs.

A review of the outreach program literature finds that outreach program research and practice can be organized into several major, non-mutually exclusive categories: physician outreach, hospital outreach, community outreach, educational outreach (academic detailing), and opinion leader outreach. This *Milemarkers* includes selected references to research and practice in each of these categories that practitioners responsible for locating eligible children should find informative and useful for improving child find. Outreach program practices are one type of child-find activity (Dunst & Trivette, 2004) that constitutes the focus of research and practice at the Tracking, Referral and Assessment Center for Excellence ([www.tracecenter.info](http://www.tracecenter.info)).

### Outreach Practices

#### Outreach to Physicians

Inasmuch as physicians and other health-care providers are primary sources of referrals to early intervention and preschool programs, outreach to physicians and other health-care providers constitutes one particular kind of child-find activity. According to Berman and

Melner (1992), outreach strategies such as the provision of information through mailings and newsletters, invitations to physicians to participate on early intervention or preschool special education program committees, and feedback to primary referral sources regarding referred children constitutes outreach efforts that can keep physicians and other health-care providers informed about early intervention and preschool special education programs. One key to the success of outreach to physician activities is regular and periodic contacts with these primary referral sources (e.g., Soumerai & Avorn, 1987).

Berman, C., & Melner, J. (1992). *Communicating with primary referral sources: A synthesis report*. Chapel Hill, NC: National Early Childhood Technical Assistance System (ERIC Document Reproduction Service No. ED349754).

Buck, D. M., Cox, A. W., Shannon, P., & Hash, K. (2001). Building collaboration among physicians and other early intervention providers: Practices that work. *Infants and Young Children*, 13(4), 11-20.

Helm, D. T., & Shishmanian, E. (1997). Information pediatricians need about early intervention. *Children's Health Care*, 26, 255-264.

Lawless, L. L., & Wright, G. J. (2000). *How to get re-*

*Milemarkers* is a publication of the Tracking, Referral and Assessment Center for Excellence (TRACE) funded by the U.S. Department of Education, Office of Special Education Programs (H324G020002). Opinions expressed in this publication are those of TRACE and do not necessarily reflect the views of the U.S. Department of Education. TRACE is a major initiative of the Center for Improving Community Linkages, Orelena Hawks Puckett Institute, [www.puckett.org](http://www.puckett.org). Copyright © 2004 by the Orelena Hawks Puckett Institute. All rights reserved.

errals: *The mental health professional's guide to strategic marketing*. New York: Wiley.

- Shackelford, J. (1994). *Health services for young children under IDEA: Finding and referring infants and preschoolers with developmental and health needs*. (Paper No. 2). Chapel Hill, NC: National Early Childhood Technical Assistance System (ERIC Document Reproduction Service No. ED452668).
- Soumerai, S. B., & Avorn, J. (1987). Predictors of physician prescribing change in an educational experiment to improve medication use. *Medical Care*, 25, 210-221.

### Outreach to Hospitals

Outreach to hospitals constitutes a second kind of child-find activity that can promote referrals to early intervention or preschool special education. The effectiveness of outreach to hospitals is increased markedly when outreach strategies capitalize on hospital staffs' preferred style of interacting with early intervention and preschool program personnel. According to Gilkerson, Gorski, and Panitz (1990), this typically includes brief, social exchanges providing feedback about families referred from an NICU or other hospital unit to an early childhood intervention program.

- Berman, C., & Melner, J. (1992). *Communicating with primary referral sources: A synthesis report*. Chapel Hill, NC: National Early Childhood Technical Assistance System (ERIC Document Reproduction Service No. ED349754).
- Boone, H. A., Freund, P. J., Barlow, J. H., Van Ark, G. G., & Wilson, T. K. (2004). Community Pathways: Hospital-based services that individualize supports for families and children. *Young Exceptional Children*, 7(2), 10-19.
- Browne, J. V., Langlois, A., Ross, E. S., & Smith-Sharp, S. (2001). Beginnings: An interim individualized family service plan for use in the intensive care nursery. *Infants and Young Children*, 14(2), 19-30.
- Bruns, D. A., & Steeples, T. (2001). Partners from the beginning: Guidelines for encouraging partnerships between parents and NICU and EI professionals. *Infant-Toddler Intervention: The Transdisciplinary Journal*, 11, 237-247.
- Gilkerson, L., Gorski, P. A., & Panitz, P. (1990). Hospital-based intervention for preterm infants and their families. In S. J. Meisels & J. P. Shonkoff (Eds.), *Handbook of early childhood intervention* (pp. 445-468). New York: Cambridge University Press.
- Hussey-Gardner, B., McNinch, A., Anastasi, J. M., & Miller, M. (2002). Early intervention best practice: Collaboration among an NICU, an early intervention

program, and an NICU follow-up program. *Neonatal Network: The Journal of Neonatal Nursing*, 21(3), 15-22.

- Krehbiel, R., Munsick-Bruno, G., & Lowe, J. R. (1991). NICU infants born at developmental risk and the individualized family service plan/process (IFSP). *Children's Health Care*, 20, 26-33.
- Long, C. E., Artis, N. E., & Dobbins, N. J. (1993). The hospital: An important site for family-centered early intervention. *Topics in Early Childhood Special Education*, 13(1), 106-120.
- Smith, A. V. (1986). Parent outreach in a neonatal intensive care nursery [Electronic version]. *Social Work*, 31, 69-71.
- Tien, C. L., Peterson, C. A., & Shelley, M. C., II. (2002). Postdischarge service use by families of neonatal intensive care unit graduates. *Journal of Early Intervention*, 25, 42-57.

### Community Outreach

Community outreach to child-care programs, Early Head Start and Head Start programs, preschool programs, and other programs and organizations serving infants, toddlers, and preschoolers constitutes a third kind of child-find activity. Evidence indicates that collaborative efforts with these and other programs are more likely to result in the early identification of eligible children (Clayton, Lee, Buckelew, & Brindis, 2002; Kiger, 2003).

Community outreach also includes efforts to inform parents and other community members about the availability and benefits of early intervention, preschool special education, and other supports and services (Atkins, 1986). Efforts to improve awareness of early intervention and preschool special education, and referrals of eligible children, is most likely to be effective using a multifaceted approach to child find (O'Donnell & Giovannoni, 2000).

- Atkins, M. (1986). The Welcome Baby program: A community-based volunteer prevention model of caring, sharing, and support for new parents. *Infant Mental Health Journal*, 7, 156-167.
- Clayton, S., Lee, C., Buckelew, S., & Brindis, C. (2002). *Innovations, issues, and ideas for investing in adolescent health: Improving health care access through teen-oriented outreach*. Los Angeles: California Adolescent Health Collaborative.
- Kiger, H. (2003). Outreach to multiethnic, multicultural, and multilingual women for breast cancer and cervical cancer education and screening. *Family and Community Health*, 26, 307-318.
- O'Donnell J., & Giovannoni, J. M. (2000). Consumer perceptions of outreach and marketing strategies

for family resource centers. *Journal of Community Practice*, 8(2), 71-89.

Reisinger, J. J., & Lavigne, J. V. (1980). An early intervention model for pediatric settings. *Professional Psychology: Research and Practice*, 11, 582-590.

Sinclair, E. (1993). Early identification of preschoolers with special needs in Head Start [Electronic version]. *Topics in Early Childhood Special Education*, 13, 184-201.

Solomon, R., Clougherty, S. L., Shaffer, D., Hofkosh, D., & Edwards, M. (1994). Community-based developmental assessment sites: A new model for pediatric "child-find" activities. *Infants and Young Children*, 7(2), 67-7.

Wilcox, S. A., Koepke, C. P., Levenson, R., & Thalheimer, J. C. (2001). Registry-driven, community-based immunization outreach: A randomized controlled trial [Electronic version]. *American Journal of Public Health*, 91, 1507-1511.

### **Educational Outreach (Academic Detailing)**

Academic detailing is a one-to-one educational outreach practice characterized by specific principles and guidelines that have been shown to be associated with changing physician prescribing practices. The practice is characterized by brief, face-to-face educational outreach visits to physicians or other health-care providers by credible professionals (academic detailers) within physicians' practice settings to provide information and materials in order to change prescribing and referral practices (Soumerai & Avorn, 1990). An important characteristic of this outreach practice is follow-up visits after the initial educational outreach session (Valente & Rogers, 1995). Research by Soumerai and his colleagues consistently found that ongoing follow-up visits over extended periods of time are most effective in producing and sustaining desired change (Soumerai & Avorn, 1987).

Avorn, J., & Soumerai, S. B. (1983). Improving drug-therapy decisions through educational outreach: A randomized controlled trial of academically based "detailing." *New England Journal of Medicine*, 308, 1457-1463.

Daly, M. B., Balshem, M., Sands, C., James, J., Workman, S., & Engstrom, P. F. (1993). Academic detailing: A model for in-office CME. *Journal of Cancer Education*, 8, 273-280.

O'Brien, M. A. T., Oxman, A. D., Davis, D. A., Haynes, R. B., Freemantle, N., & Harvey, E. L. (1997). Educational outreach visits: Effects on professional practice and health care outcomes (Review). *Cochrane Database of Systematic Reviews*, Issue 4. Art. No.: CD000409.

Ofman, J. J., Segal, R., Russell, W. L., Cook, D. J., Sandhu, M., Maue, S. K., et al. (2003). A randomized trial of an acid-peptic disease management program in a managed care environment. *American Journal of Managed Care*, 9, 425-433.

Soumerai, S. B. (1998). Principles and uses of academic detailing to improve the management of psychiatric disorders. *International Journal of Psychiatry in Medicine*, 28, 81-96.

Soumerai, S. B., & Avorn, J. (1986). Economic and policy analysis of university-based drug "detailing." *Medical Care*, 24, 313-331.

Soumerai, S. B., & Avorn, J. (1987). Predictors of physician prescribing change in an educational experiment to improve medication use. *Medical Care*, 25, 210-221.

Soumerai, S. B., & Avorn, J. (1990). Principles of educational outreach ('academic detailing') to improve clinical decision making. *Journal of the American Medical Association*, 263, 549-556.

Soumerai, S. B., McLaughlin, T. J., & Avorn, J. (1990). Quality assurance for drug prescribing. *Quality Assurance in Health Care*, 2, 37-58.

Stern, C. S. (1996). Academic detailing: What's in a name? *Journal of Managed Care Pharmacy*, 2, 88-90.

Valente, T. W., & Rogers, E. M. (1995). The origins and development of the diffusion of innovations paradigm as an example of scientific growth. *Science Communication*, 16, 242-273.

### **Opinion Leader Outreach**

Opinion leaders are individuals trusted by their colleagues to evaluate new information and research and to assess the value of indicated practices in the context of local group norms (Greer, 1988). The influence of opinion leaders in the diffusion and adoption of new medical treatments has been recognized for almost half a century (Coleman, Katz, & Menzel, 1957; Rogers & Cartano, 1962). Opinion leaders often play an important role in educational outreach (academic detailing) practices and community outreach (Soumerai, 1998; Valente & Davis, 1999).

Booth, A., & Babchuk, N. (1972). Informal medical opinion leadership among the middle aged and elderly [Electronic version]. *Public Opinion Quarterly*, 36, 87-94.

Borbas, C., Morris, N., McLaughlin, B., Asinger, R., & Gobel, F. (2000). The role of clinical opinion leaders in guideline implementation and quality improvement. *Chest*, 118, 24S-32S.

Burt, R. S. (1999). The social capital of opinion leaders.

- Annals of the American Academy of Political and Social Science*, 566, 37-54.
- Chan, K. K., & Misra, S. (1990). Characteristics of the opinion leader: A new dimension [Electronic version]. *Journal of Advertising*, 19(3), 53-60.
- Coleman, J., Katz, E., & Menzel, H. (1957). The diffusion of an innovation among physicians. *Sociometry*, 20, 253-270.
- Dopson, S., Locock, L., Chambers, D., & Gabbay, J. (2001). Implementation of evidence-based medicine: Evaluation of the promoting action on clinical effectiveness programme. *Journal of Health Services and Research Policy*, 6(1), 23-31.
- Fleming, M. F. (1997). Strategies to increase alcohol screening in health care settings. *Alcohol Health and Research World*, 21, 340-347.
- Flynn, L. R., Goldsmith, R. E., & Eastman, J. K. (1994). The King and Summers Opinion Leadership Scale: Revision and refinement. *Journal of Business Research*, 31, 55-64.
- Greer, A. L. (1988). The state of the art versus the state of the science: The diffusion of new medical technologies into practice. *International Journal of Technology Assessment in Health Care*, 4, 5-26.
- Gruppen, L. D., Wolf, F. M., van Voorhees, C., & Stross, J. K. (1987). Information-seeking strategies and differences among primary care physicians. *Mobius*, 7(3), 18-26.
- Harvey, G., Loftus-Hills, A., Rycroft-Malone, J., Titchen, A., Kitson, A., McCormack, B., et al. (2002). Getting evidence into practice: The role and function of facilitation [Electronic version]. *Journal of Advanced Nursing*, 37, 577-588.
- Hiss, R. G., MacDonald, R., & Davis, W. K. (1978). Identification of physician education influentials (EI's) in small community hospitals. *Annual Conference on Research in Medical Education*, 17, 283-288.
- Hiss, R. G., Stross, J. K., Wayne, M. D., Davis, W. K., & Macdonald, R. (1979). Development and evaluation of a community-based pulmonary education system. *Annual Conference on Research in Medical Education*, 18, 264-269.
- Jacoby, J. (1974). The construct validity of opinion leadership [Electronic version]. *Public Opinion Quarterly*, 38, 81-88.
- Lam, S. S. K., & Schaubroeck, J. (2000). A field experiment testing frontline opinion leaders as change agents. *Journal of Applied Psychology*, 85, 987-995.
- Lomas, J., Enkin, M., Anderson, G. M., Hannah, W. J., Vayda, E., & Singer, J. (1991). Opinion leaders vs audit and feedback to implement practice guidelines: Delivery after previous cesarean section. *Journal of the American Medical Association*, 265, 2202-2207.
- Rogers, E. M. (1995). *Diffusion of innovations* (4th ed.). New York: Free Press.
- Rogers, E. M., & Cartano, D. G. (1962). Methods of measuring opinion leadership. *Public Opinion Quarterly*, 26, 435-441.
- Soumerai, S. B., McLaughlin, T. J., Gurwitz, J. H., Guadagnoli, E., Hauptman, P. J., Borbas, C., et al. (1998). Effect of local medical opinion leaders on quality of care for acute myocardial infarction: A randomized controlled trial. *Journal of the American Medical Association*, 279, 1358-1363.
- Stross, J. K. (1996). The educationally influential physician. *Journal of Continuing Education in the Health Professions*, 16, 167-172.
- Valente, T. W., & Davis, R. L. (1999). Accelerating the diffusion of innovations using opinion leaders. *Annals of the American Academy of Political and Social Science*, 566, 55-67.

## Summary

Practitioners responsible for child find have at their disposal many options for conducting activities for locating infants, toddlers, and preschoolers eligible for early intervention or preschool special education. This *Milemarkers* included selected references to practice descriptions and research on the characteristics of outreach program activities found to be effective for informing primary referral sources about available services and for influencing changes in beliefs and attitudes toward the need for these services. The source material included in the bibliography should be useful to practitioners responsible for conducting child find.

## Acknowledgements

Appreciation is extended to Teresa Imfeld for editing and Kaki Roberts for final layout of the manuscript.

## References

- Atkins, M. (1986). The Welcome Baby program: A community-based volunteer prevention model of caring, sharing, and support for new parents. *Infant Mental Health Journal*, 7, 156-167.
- Berman, C., & Melner, J. (1992). *Communicating with primary referral sources: A synthesis report*. Chapel Hill, NC: National Early Childhood Technical Assistance System (ERIC Document Reproduction Service No. ED349754).
- Clayton, S., Lee, C., Buckelew, S., & Brindis, C. (2002). *Innovations, issues, and ideas for investing in adolescent health: Improving health care access through teen-oriented outreach*. Los Angeles: Cali-



- fornia Adolescent Health Collaborative.
- Coleman, J., Katz, E., & Menzel, H. (1957). The diffusion of an innovation among physicians. *Sociometry*, *20*, 253-270.
- Dunst, C. J., & Trivette, C. M. (2004). Major categories of child find, early identification, referral and eligibility determination practices. *Tracelines*, *1*(2).
- Gilkerson, L., Gorski, P. A., & Panitz, P. (1990). Hospital-based intervention for preterm infants and their families. In S. J. Meisels & J. P. Shonkoff (Eds.), *Handbook of early childhood intervention* (pp. 445-468). New York: Cambridge University Press.
- Greer, A. L. (1988). The state of the art versus the state of the science: The diffusion of new medical technology into practice. *International Journal of Technology Assessment in Health Care*, *4*, 5-26.
- Individuals with Disabilities Education Act [IDEA] Amendments, 20 U.S.C. § 1431(a)(4) (1997).
- Kiger, H. (2003). Outreach to multiethnic, multicultural, and multilingual women for breast cancer and cervical cancer education and screening. *Family and Community Health*, *26*, 307-318.
- O'Donnell, J., & Giovannoni, J. M. (2000). Consumer perceptions of outreach and marketing strategies for family resource centers. *Journal of Community Practice*, *8*(2), 71-89.
- Rogers, E. M., & Cartano, D. G. (1962). Methods of measuring opinion leadership. *Public Opinion Quarterly*, *26*, 435-441.
- Soumerai, S. B. (1998). Principles and uses of academic detailing to improve the management of psychiatric disorders. *International Journal of Psychiatry in Medicine*, *28*, 81-96.
- Soumerai, S. B., & Avorn, J. (1987). Predictors of physician prescribing change in an educational experiment to improve medication use. *Medical Care*, *25*, 210-221.
- Soumerai, S. B., & Avorn, J. (1990). Principles of educational outreach ('academic detailing') to improve clinical decision making. *Journal of the American Medical Association*, *263*, 549-556.
- Valente, T. W., & Davis, R. L. (1999). Accelerating the diffusion of innovations using opinion leaders. *Annals of the American Academy of Political and Social Science*, *566*, 55-67.
- Valente, T. W., & Rogers, E. M. (1995). The origins and development of the diffusion of innovations paradigm as an example of scientific growth. *Science Communication*, *16*, 242-273.

### Authors

Patricia Ward Clow, M.P.H., R.D., is a Research Associate at the Orelena Hawks Puckett Institute (pclow@puckett.org). Carl J. Dunst, Ph.D., is Co-Principal Investigator of the Tracking, Referral, and Assessment Center for Excellence (TRACE) and Research Scientist at the Orelena Hawks Puckett Institute in Asheville, North Carolina (dunst@puckett.org).

